

P. T. A

mining + geology

894

022 331

Turczynowicz B. Exploitation of Peat Marshes and the Use of Peat.

"Eksploatacja torfowisk i użytkowanie torfu" Warszawa, 1948
Zw (Insp. Spółdz. R. P., 18, pp. 304, 110 figs.

The origin of peat and its properties. Instructions for the exploitation of peat marshes. Preparing peat marshes for exploitation. Peat extraction methods. Transforming the structure of peat. Mechanical transportation of peat to drying fields. The drying of peat. Collection and storage of peat. Organisation of peat farms. Recommendations based on experience, and instructions. The use of peat for fuel purposes. Manufacture of peat-spread and peat powder. Articles of association of a Peat Co-operative.

TURNICZYNOWICZ, STANISLAW

Melioracje i zagospodarowanie torfowisk

Warszawa, Poland, Panstwowe Wydawn.Rolnicze i Lesne, 1956. 297 p.

Monthly List of East European Accessions (EEAI) LC, Vol. 8, No. 9, September 1959.
Uncl.

TURCZYNOWICZ, S.

Prace pomiarowe w melioracjach. (Wyd. 1.) Warszawa, Budownictwo i
Architektura, 1955. 61 p. (Surveying work in land improvement.
1st ed. illus., diags., tables)

SOURCE: East European Accessions List (EEAL), LC, Vol. 5, no. 3,
March 1956

TURCZYNOWICZ, S.

"Comparing climatic and agricultural conditions in the basins of the Vistula and Oder Rivers. p. 5." (GAZETA OBSERWATORA), Vol. 6, no. 6, June 1953, Warszawa, Poland

So: Monthly List of East European Accessions L. C. Vol. 2, No. 11, Nov. 1953, Uncl.

TURCZYNOWICZ, S.

Polish Technical Abstracts
No. 4, 1953
Agriculture, Food Processing
Industry, Forestry, Fisheries

2474

631.62/67

• Turczynowicz S. Agricultural Mellorations. Division of Hydrotechniques.

"Melloracje rolne". Dzial Hydrotechniki. Warszawa, 1952, PWRiL, 189, 236 pp., 198 figs., 37 tabs.

Contains the following chapters: Hydrology. Studies for melloration purposes. Water requirements of plants. Indices of excessive soil moisture content and the results thereof. Free runoff. Open ditches. Banks and mechanical raising of water. Land reclamation. Irrigation. Fish ponds. Peat. Drainage. Melloration constructions. Agro.technical mellorations.

GARNUSZEWSKI, R.; TURCZYNOWSKI, R.

Tuberculosis in dogs in Szczecin. Gruzlica 31 no.6:727-730
Je'63.

1. Klinika Ftizjatryczna PAM, Szczecin.

*

TURCZYNSKI, Marian, mgr.

General contracting or real coordination of the work on the
building ground. Przegl budowl i bud mieszk 33 no.6:
329-330, 337 Je'61

TURCZYNSKI, S.

Noise factor measurement under conditions of continuous wave interference. Przem inst telekom prace 14 no.45:61-64 '64.

L 1723-66 ENT(d)/EED-2

ACCESSION NR: AT5020917

PO/2507/65/000/47-/0041/0046
621.3.018.756

AUTHOR: Turczynski, S. (Turchin'ski, S.)

TITLE: An exact method for evaluating pulse position

SOURCE: Warsaw. Przemyslowy Instytut Telekomunikacji. Prace, no. 47/48, 1955, 41-46

TOPIC TAGS: pulse analysis, electronic circuit

ABSTRACT: The author analyzes the exact position of Gauss pulses which have an amplitude varying over a wide dynamic range. Practical examples are given. The method consists of feeding a Gauss pulse

$$U_1(t) = U_0 e^{-at^2}$$

to the input terminals shown in fig. 1 of the Enclosure, where U_0 is the amplitude of the pulse, $a = 2/\tau$, τ is the length of a pulse on level U_0 and t is time. The pulse shown in fig. 2b of the Enclosure appears at the base of the transistor. The

Card 1/5

L 1723-66

ACCESSION NR: AT5020917

transistor conducts only when the inequalities

$$u_1(t) = U_0 e^{-\alpha(t-\tau_1)}, \quad u_2(t) = U_0 e^{-\alpha(t-\tau_1)} > u_1(t) = U_0 e^{-\alpha t}$$

are satisfied. One of the blocking diodes D1 and D2 is always conducting in the remaining time. The pulse at the collector (fig. 2c of the Enclosure) has a very short build-up time and is delayed with respect to the peak of pulse $u_1(t)$ at $0.25\tau_1$ (τ_1 is line delay). This delay is independent of the pulse amplitude. The pulse length is equal to half the line delay. Oscillograms are given for input and output pulses when the receiver input signals are on the 0, 20 and 50 db levels. The circuit shown in fig. 3. of the Enclosure forms only a single pulse with a short build-up time and a position which is independent of the pulse amplitude. Oscillograms are given for the input and output of this circuit. The information contained in this pulse may be used after predifferentiation. Orig. art. has: 8 figures, 12 formulas.

ASSOCIATION: Przemyslowy Instytut Telekomunikacji, Warsaw (Industrial Institute of Radio Communications)

SUBMITTED: 15Apr64

NO REF SOV: 005

ENCL: 03

SUB CODE: EC

OTHER: 002

Card 2/5

L 1723-66

ACCESSION NR: AT5020917

ENCLOSURE: 01

0




Fig. 1. Circuit for evaluating the pulse position with a single delay line.

Card 3/5

L 1723-66

ACCESSION NR: AT5020917

ENCLOSURE: 02




Fig. 2. Oscillograms: a--pulse at the circuit input; b--pulse at the base of the transistor; c--pulse at the collector output.

Card 4/5

L 1723-66
ACCESSION NR: AT5020917

ENCLOSURE: 03




Fig. 3. Circuit for standardizing pulse slope.

Card 5/5 *FP*

TURCZYNSKI, S.

Comparative method of measuring peak small power high-frequency
pulses. Przeniosl telekom prace 14 no. 46:45-47 '64.

L 39636-65 EEC-4/EEB-2/EEB-2/EWT(1)/EWA(h) PL-4/Pn-4/Peb JM
P/2507/64/014/047/0061/0064

ACCESSION NR: AT5006319

AUTHOR: Turczynski, S. (Turchinski, S.)

TITLE: Measurement of the noise factor during continuous wave interference

SOURCE: Warsaw. Przemyslowy Instytut Telekomunikacji. Prace, v. 14, no. 1, 1964, 61-64

TOPIC TAGS: noise figure, noise generation, noise measurement, interference measurement, cw interference

ABSTRACT: Factors in noise factor measurements are analyzed for cw interference

Gaussian distribution of the noise factor components in the case of cw interference

Card 1/1

L 39636-65

ACCESSION NR: AT5006319

Enclosure. An expression is derived from the formula of the instrument which is
reference for the formula is 1.15.

reference for the formula is 1.15.

ASSOCIATION: none

SUBMITTED: 07Dec63

ENCL: 03

SUB CODE: EC

NO REF SOV: 004

ATLDP: 002

Card 2/5

P/507/60/010/030/004/005
D271/D308

9,2590

AUTHOR: Turczyński, S.

TITLE: A delay line for the 29 - 31 Mc/s band

SOURCE: Warsaw. Przemysłowy Instytut Telekomunikacji, Prace, .
v. 10, no. 30, 1960, 67 - 71

TEXT: A delay line built as a band-pass filter composed of n inductively coupled resonance circuits is analyzed. Matrix equations for a single circuit are compared with those for a transmission line, and the lumped circuit is replaced by the equivalent line. Starting from this, formulas are derived for the bandwidth, wave impedance, delay and attenuation of a single circuit. The expression for the group delay at the resonance frequency is

$$t_0 = \frac{d(\beta l)}{d\omega} \quad \omega = \omega_0 = \frac{1}{k \omega_0 \sqrt{1 + \left(\frac{1}{2kQ}\right)^2}} \quad (15)$$

where all symbols have commonly used meanings. The wider the band,

Card 1/2

A delay line for the 29 - 31 Mc/s band

P/507/60/010/030/004/005
D271/D308

the lower the delay produced by a single circuit. The analysis of a multi-circuit delay line leads to the conclusion that phase shifts and attenuations are purely additive, the impedance of the line is equal to that of a single circuit, and the bandwidth of a loss-less line is identical with that of a single cell. The author describes the construction of a delay line consisting of 5 sectors of 48 circuits each; the sectors are separated by electron tubes. A 1 : 3 transformer matches the line to a 70 ohm co-axial cable. The circuit in which the line was measured is shown as well as some measurement results. 3 dB bandwidth is 2 Mc/s, with a ripple of ± 1.5 dB, delay is 10 μ sec and attenuation is 10 dB/ μ sec. There are 8 figures.

Card 2/2

9.2590

S/194/62/000/003/058/066
D271/D301

AUTHOR:

Turczynski, S.

TITLE:

A delay line for the 2. - 31 Mc/s band

PERIODICAL:

Referativnyy zhurnal, Avtomatika i radioelektronika,
no. 3, 1962, abstract 3-7-36r (Prace Przemysł. inst.
telekomun., 1960, v. 10, no. 30, 67-71.)

TEXT: Frequency and time characteristics are derived by matrix
method for an artificial line consisting of a series of inductively
coupled tuned circuits. An electron tube circuit including such de-
lay line is shown. Construction of the line is described and its
selectivity characteristic and an oscillogram of a pulse travelling
through the line are shown. 2 references. [Abstracter's note: Com-
plete translation.]

Card 1/1

L 47414-66

ACC NR: AT6028778

ture range of 10—60C and also at an ambient temperature of 20C when the supply voltage is changed from 4 to 12 v. Orig. art. has: 5 figures, 14 formulas, and 2 tables. [Based on author' s abstract] [NT]

SUB CODE: 17/ SUBM DATE: 25Jan65/ ORIG REF: 001/ OTH REF: 002/

Card 2/2 vlr

TURCZYNSKI, Tadeusz

Prophylactic measures in Rh in incompatibility in pregnancy.
Postepy hig. med. dosw. 12 no.2:101-112 1958.

1. Instytut Immunologii i Terapii Doswiadczałnej PAN im. Ludwika
Hirszfelda Ośrodek Badania Patologii Ciąży. Wrocław, ul. Chalubinskiego 4.
Adres: I Klinika Położnictwa i Chorob Kobiety AM, Wrocław, ul.
Chalubinskiego 3.

(ERYTHROBLASTOSIS, FETAL, prevention and control
review (Pol))

TURCZYNSKI, T.
BOHDANOWICZ, E.; TURCZYNSKI, T.; OSINSKA, M.; STOCHOWA, K.

Studies on exchange transfusion and on other remedies in hemolytic disease of newborn. *Pediat. polska* 28 no.9:928-931 Sept 1953.

(CJML 25:5)

1. Of the Pathology of Pregnancy Research Center and of the First Obstetric Clinic and of the Institute of Microbiology, Wroclaw.

TURCZYNSKI, Tadeusz; WAWRZEWIZ, Marian

Effect of phenergan on cotractive function of uterus in the second half of pregnancy. Polski tygod. lek. 11 no.45:1921-1927 5 Nov 56.

1. (Z I Kliniki Poloznictwa i Chorob Kobietych A.M. we Wroclawiu; Kierownik: doc. dr. K. Nowosad i z Instytutu Immunologii i Terapii Doswiadczalnej P.A.N. im L. Hirszfelda we Wroclawiu; dyr.: prof. dr. C. Slopek) adres: Wroclaw, Plac Westerplatte 3 m 7.

(ANTI-HISTAMINICS, effects, promethazine on uterus contraction in second half of pregn. (Pol))

(UTERUS, effect of drugs on, promethazine on contractions in second half of pregn. (Pol))

(PREGNANCY, eff. of promethazine on uterine contractions in second half (Pol))

TURCZYNSKI, Tadeusz

Prevention of abortions and of premature labor with the aid of
phenergan. Polski tygod. lek. 11 no.50:2118-2121 10 Dec 56.

1. Wroclaw, pl. Westerplatte 3.

(ABORTION,

threatened, prev. with promethazine (Pol))

(LABOR,

premature, prev. with promethazine (Pol))

(ANTI-HISTAMINICS, therapeutic use,

promethazine, premature labor & threatened abortion
prev. (Pol))

Turczyński, T.
HIRSZFELD, L.; KRZYSZTOPORSKI, S.; KLAWE, H.; TURCZYŃSKI, T.

Conservative therapy and prevention of blood groups incompatibility.
Med. doaw. mikrob., Warsz. 4 no. 3:339 1952. (CIML 23:3)

1. Summary of work progress presented at 11th Congress of Polish
Microbiologists held in Krakow May 1951. 2. Wroclaw.

EXCERPTA MEDICA Sec 10 Vol 10/9 Obstetrics Sept 57.

1599. TURCZYŃSKI T. pl. Westerplatte 3, Wrocław. *Zapobieganie poronieniom i porodom przedwczesnym za pomocą fenerganu. Prophylaxis with phenergan in threatening abortion and premature labour
POL. TYG. LEK. 1956, 11/50 (2118-2121) Tables 2 Illus. 1

Phenergan was administered always at the very beginning of symptoms and signs of imminent abortion or premature parturition. In all 14 women relief of pain was achieved. The author emphasizes the important sedative and analgetic action of the drug. In 3 cases, in which premature labour had already begun, transient antispastic action was observed. Abortion in cases of dead foetuses could not be stopped. Phenergan was applied in a dose of 25-50 mg. daily. The period of treatment did not exceed 4 days. Phenergan has all the advantages of products from the morphine group, and is devoid of their defects. The results obtained were controlled with a tocograph..

KRZYSZTOPORSKI, S.; KLAWE, H.; TURCZYNSKI, T.

Antistatin in obstetrics (with exception of abortions). Polski tygod.
lek. 5 no.41:1433-1435 9 Oct 50.
(GLML 20:6)

1. Of the Clinic of Obstetrics and Female Diseases of the Wroclaw
Medical Academy (Head--Prof.S. Krzysztoporski,M.D.) and of the Insti-
tute of Medical Microbiology of Wroclaw Medical Academy (Head--Prof.
L.Hirszfeld,M.D.). Work done for the Research Center on the Pathol-
ogy of Pregnancy, Wroclaw.

HIRSZFELD, L.; KRZYSZTOPORSKI, S.; KLAWE, H.; TURCZYNSKI, T.; OSINSKA, M.;
STOCHOWA, K.; LIBERSKA, H.

Further studies on the action of antiallergic drugs on
pathological manifestations in pregnancy, with special
reference to habitual abortions. Polski. tygod. lek. 6
no.25-26:786-795 25 June 51. (CJML 21:1)

1. Of the Research Center for the Pathology of Pregnancy
of the Obstetric-Gynecological Clinic in Wroclaw and of
the Institute of Medical Microbiology.

SIWINSKI, Jerzy, doc. dr inż.; TURCZYŃSKI, Zbigniew, inż.

Automatic control and density regulation device for flotation feeding. Przegl górni 20 no.10:Suppl.:Mini Glow inst górni 14 no.3:35-36 '64.

HIRSZFELD, L., KRZYSZTOPORSKI, S., OSINSKIEJ, M., STOCHOWIEJ, K.,
TURCZYNSKIEGO, T.

Further investigations on preventing abortions by antistine. Polski
tygod. lek. 5:9, 27 Feb. 50. p. 321-5

1. Of the Institute for Medical Microbiology and of the Clinic
Obstetrical-Gynecological of the Medical Academy in Wroclaw.

CMML 19, 5, Nov., 1950

L 42881-66 EWP(e)/ENT(m) WH SOURCE CODE: UR/0078/66/011/004/0931/0933
 ACC NR: AP6022895 43
 B

AUTHOR: Turdakin, V. A.; Tarasov, V. V.

ORG: none

TITLE: Heat capacity of boric anhydride and sodium borate glasses at low temperatures

SOURCE: Zhurnal neorganicheskoy khimii, v. 11, no. 4, 1966, 931-933

TOPIC TAGS: borate glass, boron compound, heat capacity

ABSTRACT: In order to confirm experimentally the authors' theory on the "vulcanizing" role of oxygen atoms introduced into the structure of glass along with an oxide modifier, the low-temperature heat capacity of vitreous B_2O_3 and glasses of the $Na_2O-B_2O_3$ system in the range of low Na_2O concentrations was measured. The assumption was that the varying degrees of three-dimensional cross-linking of the glass network should be reflected in the spectrum of distribution of natural vibration frequencies of the framework and by the heat capacity curve at low temperatures (55-300°K). The glasses had the following composition:

- glass No. 1: 7.87 mole % Na_2O , 92.13 mole % B_2O_3 ;
- glass No. 2: 13.70 mole % Na_2O , 86.30 mole % B_2O_3 ;
- glass No. 3: 21.09 mole % Na_2O , 78.91 mole % B_2O_3 .

UDC: 536.63:546.273-31+536.63:546.33*273-161.6

Card 1/2

TURDAKOV, F.A.; TURDAKOV, A.F.

Parthenogenesis and other developmental characteristics of
leuciscus bergi Kaschkarov in Lake Issyk-Kul'. Izv. AN Kir.
SSR, Ser. biol. nauk 1 no. 4:3-44 '59. (MIRA 13:7)
(Issyk-Kul'---Carp) (Parthenogenesis(Animals))
(Embryology---Fishes)

TURDAKOV, A.F.

Bullheads (genus Cottus) of Central Asia. Izv. AN Kir.
SSR, Ser. biol. nauk 1 no. 4: 125-136 '59.

(MIRA 13:6)

(Soviet Central Asia--Sculpin)

TURDAKOV, A.F.

Characteristics of the spermatozoa of some Issyk-Kul' fishes.
Vop. ikht. 2 no.2:275-282 '62. (MIRA 15:11)

1. Gosudarstvennyy nauchno-issledovatel'skiy institut ozernogo i
rechnogo rybnogo khozyaystva -(GosNIORKh), Leningrad.
(Issyk-Kul'—Carp) (Spermatozoa)

TURDAKOV, A.F.

Parthenogenetic development of *Leuciscus bergi* Kashchkarov in
Lake Issyk-Kul'. Vop. ikht. 1 no.3:491-496 '61. (MIRA 14:11)

1. Kafedra ikhtiologii Moskovskogo gosudarstvennogo universiteta.
(Issyk-Kul'—Carp)
(Parthenogenesis (Animals))

TURDAKOV, Aleksey Fedorovich; PHATOVA, L.G., etc. red.

[Reproduction and development of leucistic berge
Kaschkarov in Lake Issykkul'] Kazamoshende i razvitie
issyk-kul'skogo chebachka. Frunze, Izd-vo "Ilim,"
1965. 89 p. (MIRA 18:10)

TABLE I BOOK EXPLANATION 507/5715

Experimental'nyy mashino-izobrazheniye Institut kuznetchno-presovogo mashino-
stroeniya

Izobrazheniya i raschety mashin kuznetchno-shitovogo proizvodstva (Studies
and Calculations of Forging and Shaping Machinery) Moscow, Mashiz, 1959.
53 p. (Series: Ite Borokh, nuga 1) Errata slip inserted. 5,000 copies
printed.

Sponsoring Agency: USSR. Gosudarstvennyy komitet po avtomatizatsii i mashino-
stroeniya.

Ed.: A. I. Kot'yev, Candidate of Technical Sciences; Ed. of Publishing House:
N. S. Stepanenko; Tech. Ed.: V. P. Sokolova; Managing Ed. for literature
on Heavy Machine Building (Mashiz): S. D. Golovin, Engineer; Editorial Board:
O. P. Kol'shakov, Engineer; V. P. Vytin, Candidate of Technical Sciences;
N. I. Vasil'yev, Engineer; A. P. Ivanov, Engineer; I. B. Matveyev, Candidate
of Technical Sciences; M. A. Mar'yuchik, Engineer; P. V. Borichkov, Engineer;
N. S. Pavlovichikov, Engineer; S. A. Podval, Engineer; L. V. Rubenova; V. Z.
Rubanov; P. D. Chudakov, Candidate of Technical Sciences; and A. I. Kot'yev.

PURPOSE: The book is intended for technical personnel and scientific workers
in the metal-forming industry.

COVERAGE: This collection of 12 articles deals with current research on metal-
forming operations, the design and operation of press-forming machinery, and
stress and force analyses in punching and blanking operations. 50 person-
alities are mentioned. References follow each article.

TABLE OF CONTENTS

Goukhrilaya, T. B., and N. A. Shchegolev. Use of Brittle Lacquer Coat-
ings as Strain Indicators for Machine Elements 222

The article deals with a number of lacquers and oxides and resin coat-
ings used in the stress analysis of parts for metal-forming machinery.
A resin coating based on dichlorobenzene is particularly recommended.
Surveys of the regimes of coating of test pieces with 5 different
stress-indicating agents, including the recommended one, are given in
a table.

Zolotarev, V. D., and A. S. Dvinskoy (Engineers). Investigation into
the Expediency of Manufacturing Welded Frames and Beds for Mechanical
Presses 227

The authors compare and analyze some economic indices for a number
of cast and welded frames of 12 types of mechanical presses,
manufactured by the two Voronezh plants and the Saratov plant.
Specifications of the presses are given. The authors favor welding
over casting because of cost considerations.

AVAILABILITY: Library of Congress

Card 10/10

AC/pw/rsl
7-20-60

ZOLOTAREV, V.Ya., inzh.; TURDAKOV, A.S., inzh.

Investigating the economic construction of welded bedplates for
mechanical presses. [Nauch. trudy] ENIKMASHa 1:227-234 '59.
(MIRA 14:1)

(Power presses---Welding)

TURDAKOV, F.A.

Variation in the size and form of eggs in the mulberry silkworm
(*Bombyx mori* Z). Uch. zap. Biol.-pochv. fak. Kir. un. no.7:247-
282 '58. (MIRA 15:10)

(Insects--Eggs)

(Silkworms)

TURDAKOV, F.A.

Application of variational statistical indices in the investigation
of some problems of variability in fish populations. Vop. ekol.
4:152-153 '62. (MIRA 15:11)

1. Institut biologii AN Kirgizskoy SSR, Frunze.
(Fish populations) (Biometry)

TURDAKOV, F. A.

"Age selection." (pp. 173-89) by F. A. Turdakov

S0: Journal of General of General Biology (Zhurnal Obshchei Biologii) Vol. 4, No. 3, 1943

TURDAKOV, F.A.

New subspecies of loach from Issyk-Kul. Trudy Biol. inst. Yir PAN
SSSR no. 1:153-156 '47. (MLRA 8:10)
(Issyk-Kul--Loaches)

TURDAKOV, F.A.; LUZHIN, B.P.; BARAMZIN, N.A.

Incubation of Diptychus roe in Weiss and Williamson apparatus.

Trudy Inst.zool.i paraz.AN Kir.SSR no.7:97-107 '59.

(MIRA 13:4)

(Fish culture) (Perch)

TURDAKOV, F.A.

Changes in the salinity of water during the incubation of roe.

Trudy Inst.zool.i paraz.AN Kir.SSR no.7:109-122 59.

(MIRA 13:4)

(Fish culture) (Salinity)

TURDAKOV, F.A.

Work of the Ichthyological Laboratory of the Kirghiz Branch of the
Academy of Sciences of the U.S.S.R. Izv.KirFAN SSSR no.1/10:71-74
'51. (MLRA 8:1)
(Kirghizistan--Ichtyology)

TURMANOV, F. A.

Ryby Kirgizii /Fishes of Kirgizia/. Frunze, Izd. Kirgizskogo filiala Akade ii nauk SSSR, 1952. 171 p.

SO: Monthly List of Russian Accessions, Vol. 6 No 10 January 1954.

USSR/Miscellaneous - Books

Card 1/1 : Pub. 86 - 31/34

Authors : Burdin, A. K.

Title : Valuable book on the ichthyofauna of Central Asia

Periodical : Priroda 1, 121-123, Jan 1954

Abstract : Review is presented of the book, by F. A. Turdakov, entitled, "The Fish of the Kirghiz Country," which offers biological data regarding the ichthyofauna of Central Asia.

Institution :

Submitted :

TURDAKOV, F.A., redaktor; SEREBRYAKOV, V.I., tekhnicheskiiy redaktor

[Ichthyological papers] Ikhtiologicheskii sbornik. Frunze, 1956.
129 p. (MIRA 10:1)

1. Akademiya nauk Kirgizskoy SSR, Frunze. Institut zoologii i
parazitologii.
(Kirghizistan--Fishes)

TURCEK, Frantisek, Jozef

Main pests of some young forest stands. Les cas 10 no. 3:
275-282 Mr '64.

1. Research Institute of Forestry, Banska Stiavnica.

TURCHANINOV, S.P., kand.tekhn.nauk

Effect of the size of the material being transported on the hydraulic erosion of pressure pulp ducts. Ugol' Ukr. 7 no.6:24-26
Je '63. (MIRA 16:8)

1. Institut gornogo dela im. A.A.Skochinskogo.

TURENSCH, E. (lasi)

"A new guide for the determination of Gramineae." *Natura*
Biologie 16 no.2:92-93 Mar-Apr '64.

KALITEYEVSKIY, Rostislav Yevgen'yevich; TARAKANOVA, Aleksandra
Aleksandrovna; TURETSKIY, Samuil V. I'fovich;
BAKHTEYAROV, V.P., red.

[Mechanized continuous sawmilling with the R63 log frame
saws] Mekhanizirovannyye potoki s lesopil'nymi ramami R63.
Moskva, Izd-vo "Lesnaya promyshlennost'," 1964. 35 p.
(MIRA 17:6)

TURDAKOV, F.A., prof. otv. red.

[Biological studies on Lake Issykkul'] Biologicheskie
issledovaniia na ozere Issyk-Kul'. Frunze, Izd-vo "Ilin,"
1965. 130 p. (MIRA 18:11)

1. Akademiya nauk Kirgizskoy SSR, Frunze. Institut biologii.

TURDAKOV, F.A.

Recollections about L.S.Berg. Izv. Kir. fil. Geog. ob-va SSSR
no.4:33-37 '63. (MIRA 16:12)

TURDAKOV, Fedor Alekseyevich; IMANOV, Dzh.I., otv. red.; SONONBAYEVA,
N.V., red.izd-va; POPOVA, M.G., tekhn. red.

[Fishes of Kirghizia] Ryby Kirgizii. Izd.2. Frunze, Izd-vo
AN Kirg.SSR, 1963. 282 p. (MIRA 16:10)
(Kirghizistan--Fishes)

TURDAKOV, F. A.

Some quantitative indices of variability in populations.
Izv. AN Kir. SSSR Ser. biol. nauk 4 no.1:5-18 '62.
(MIRA 15:10)

(Fish populations) (Biometry)

TURDAKOV, F. A.

Ecological and geographical grouping of fish, and the regionali-
zation of the fishing industry in Kirghizistan. Izv. Kir. fil.
Geog. ob-va SSSR no.3:77-80 '62. (MIRA 15:10)

(Kirghizistan--Fishes--Geographical distribution)

TURDAKOV, F.A.; KONURBAYEV, A.O.

Observations on the spawning of *Leuciscus bergi* Kaschkarov in
Cholponata Bay (1959). Izv. AN Kir. SSR. Ser. biol. nauk 3 no.1:
85-103 '61. (MIRA 14:12)

(ISSYK-KUL'---CARP)

TURDAKOV, F.A.

Additional data on parthenogenesis in *Leuciscus bergi* Kaschkarov.
Izv. AN Kir. SSR. Ser. biol. nauk 3 no.1:105-110 '61. (MIRA 14:12)
(ISSYK-KUL'—CARP) (PARTHENOGENESIS (ANIMALS))

TURDAKOV, F.A., otv. red.; KOVSKIY, V.Ye., red. izd-va; ANOKHINA, M.G.,
tekhn. red.

[Transactions of the Conference on Fishery Management in the
Republics of Central Asia and Kazakhstan] Trudy konferentsii
po rybnomu khoziaistvu respublik Srednei Azii i Kazakhstana,
Frunze, 1958. Frunze, Akad. nauk Kirgizskoi SSR, 1961. 214 p.
(MIRA 14:6)

1. Konferentsiya po rybnomu khozyaystvu respublik Sredney Azii i
Kazakhstana, Frunze, 1958. 2. Institut zoologii i parazitologii
AN Kirgiz. SSR (for Turdakov)
(Soviet Central Asia—Fisheries—Congresses)
(Kazakhstan—Fisheries—Congresses)

TURDAKOV, F.A.; TURDAKOV, A.F.

Parthenogenesis and other developmental characteristics of
leuciscus bergi Kaschkarov in Lake Issyk-Kul'. Izv. AN Kir.
SSR. Ser. biol. nauk 1 no. 4:3-44 '59. (MIRA 13:7)
(Issyk-Kul'--Carp) (Parthenogenesis(Animals))
(Embryology--Fishes)

TURDAKOV, F.A.; LUKSHT, S.

Chemical interaction of germ cells in two fish species.

Izv.AN Kir.SSR Ser.biol.nauk 1 no.4:67-79 '59.

(MIRA 13:?)

(Issyk-Kul'--Carp) (Embryology--Fishes)

TURDAKOV, F.A.; OZAROVSKAYA, K.

Experiments on the effect of Co, Mn, and I on embryogenesis
in fishes and amphibians. Izv.AN Kir.SSR Ser.biol.nauk
1 no.4:81-96 '59. (MIRA 13:7)
(Embryology--Fishes) (Trace elements)
(Embryology--Amphibia)

Турдаков, Г. Н.

PHASE I BOOK EXPLOITATION SOV/303

Prunze, Universitet. Nauchnoye student'skoye obshchestvo
Sbornik nauchnykh rabot studentov YVP. 2 (Collection of Sci-
entific Works of Students, No. 2) Prunze, 1959. 99 p. 500
copies printed.

Sponsoring Agency: Kifiziyskiy gosudarstvennyy universitet.
Nauchnoye student'skoye obshchestvo.

Resp. Ed.: L. A. Spectorov, Docent; Tech. Ed.: N. A. Yefimov.

PURPOSE: This book is intended for mathematicians, natural
scientists, and philologists.

CONTENTS: The collection of articles contains studies in mathe-
matics and mechanics, physics, biology, and philosophy written
by students of the Faculty of Science of the Kifiziyskiy gosudarstvennyy
universitet (Kifiziyskiy gosudarstvennyy universitet (Kifiziyskiy gosudarstvennyy
universitet (Kifiziyskiy gosudarstvennyy universitet) under the guidance of
faculty members. References accompany each article.

INDEX

Aleksovskiy, Yu. (Fourth-Year Student of the Division of Physics
and Mathematics. Docent L. A. Spectorov, Scientific Adviser).
Effect of the Sample Composition on the Rate of Thallium
Evaporation from a Carbon Electrode 33

Tekstov, D. (Fourth-Year Student of the Division of Physics and
Mathematics. Docent L. A. Spectorov, Scientific Adviser).
Temperature Measurement of Carbon Electrodes With Various
Fillers 41

Stalnikov, A. (Fourth-Year Student of the Division of Physics
and Mathematics. Docent L. A. Spectorov, Scientific Adviser).
Quantitative Analysis of Aluminum by the Width of Spectral
Lines 47

Kozlov, P. (Fourth-Year Student of the Division of Physics and
Mathematics. Docent A. G. Yakovlev, Scientific Adviser).
X-Ray Spectrographic Study of Microcrystalline Aluminum De-
formation 51

Zhelezovskiy, Zh., and V. Engel'sht. (Students of the Division of
Physics and Mathematics. Docent L. A. Spectorov, Scientific
Adviser). "Growth Curves" (Dependence of Spectral Line
Intensity on the Concentration of Atoms in the Source of Light
of Some Spectral Lines of Molybdenum and Nickel) 55

BIOLOGY

Attyuk, G. (Fourth-Year Student of the Division of Biology
and Mathematics. Professor P. A. Dzhigany, Scientific Adviser).
Dace (Pish) from the Talas Basin 59

Kolodny, M. (Fourth-Year Student of the Division of Biology,
Professor V. A. Turakov, Scientific Adviser). Ichthyological
Expedition to the Saryy Valley in the Summer of 1953 63

Dzha, L. (Fourth-Year Student of the Division of Biology,
Professor V. A. Turakov, Scientific Adviser). Gudgeon (G. Goble
Iepidolentus) from the Sharyy River (Talas Basin) 67

Card 4/6

Translation from: Referativnyy zhurnal, Geografiya, 1957, Nr 7,
pp 152-153 (USSR) 14-57-7-15155

AUTHOR: Turdakov, F. A.

TITLE: Commercial Fish in Lake Issyk-Kul' (Ocherk biologii
promyslovykh ryb ozera Issyk-Kul')

PERIODICAL: Ikhtiol. sb. Frunze, AM KurgSSR, 1956, pp 3-66

ABSTRACT: From 1950 to 1953 the Ichthyological Laboratory of
the Kirgiz Branch of the AS USSR studied the fish
in Lake Issyk-Kul'. This lake is located in the
Tyan' Shan' mountains at 1620 m above sea level. Its
area is 6200 sq km, its average depth is 279 m, and
its maximum depth is 702 m. Productive pelagic zone
of the lake comprises only 36.5 percent of its total
area, less than 100 m deep. Shores are slightly
eroded. The shore soils are composed of sand and
gravel, while the inlets contain cemented sand with

Card 1/9

14-57-15155

Commercial Fish in Lake Issyk-Kul' (Cont.)

shells. The latter type forms slabs which are called "koryazhinki." Further down, to the depth of 45 m, lie gray and dark soils which smell of H_2S and contain growths of characeae. At greater depth the soil is gray and contains lime and a mass of Ostracoda. Since 1910 the water level has been falling (it dropped 1 m between 1936 and 1950). There are counter-clockwise currents in the lake. The water is warm. Its average winter temperature in the surface layer is approximately $3^{\circ}C$. The temperature remains constant at about $4^{\circ}C$ below the depth of 100 m. Only in the Gulf of Tyup does the winter water temperature drop to $0.1^{\circ}C$ and forms ice. The water is transparent for approximately 15 m. Oxygen saturation from the surface to the deepest parts does not fall below 75 percent. Average water salinity is 5.82 percent, and is of the chloride-sulfate type. The water Ph is 8.7 to 8.9 and its hardness is 132 German degrees. The ion concentration of Lake Issyk-Kul' is similar to that of Lake Aral and Caspian seas. The shore zooplankton is composed of Rotatoria, Copepoda, and Cladocera, and each group is represented by numerous species. In the open lake the zooplankton is not so rich, and

Card 2/9

14-57-7-15155

Commercial Fish in Lake Issyk-Kul' (Cont.)

Copepoda predominate. The pelagic phytoplankton is very varied and is dominated by the diatoms, of which 250 species are present. Benthonic life is poorly developed. There are four species of Mollusca (including Chironomidae in the fresh-water parts of the lake), eight species of Oligochaeta, three species of Hirudinea, and five species of Gammaridae. A mass of Ostracoda is found both in the lime-rich gray ooze extending to great depth, and in the springs at the shore. These Chironomidae and Ostracoda have not been classified farther. Characeae represent dominant vegetation. They form large "characeae meadows" which reach a depth of approximately 100 m and thrive during the winter. There are 13 species and 21 varieties of ichthyofauna in Lake Issyk-Kul'. They belong to eight genera and three families. Three genera (Schizothora, Diptychus, Nemachilus) are of Central Asiatic origin or are related to Central Asiatic genera; two genera (Leuciscus and Phoxinus) are of northern origin, and two genera (Gobio and Cyprinus) are of Mediterranean origin. The author points out a number of specific features

Card 3/9

14-57-7-15155

Commercial Fish in Lake Issyk-Kul' (Cont.)

of the Lake Issyk-Kul' ichthyofauna. 1) Certain genera are represented not by one but by two or more species (Leuciscus by two, Nemachilus by three, Phoxinus by two, and Diptychus by two or three). 2) "Endemism" of fishes is limited to species and subspecies, but at this level it is well developed. Both species of eels, Leuciscus schmidtii and L. bergi are endemic, as well as the Issyk-Kul' groundling Phoxinus issykkulensis, a subspecies of the gudgeon Gobio gobio latus, the Issyk-Kul' Schizothorax issykkuli, and others. 3) Ability of the species to change. Common species are represented by schools of local varieties. This is particularly true in the case of small species of limited mobility, such as the gudgeon. These schools differ in morphological features, in specific rate of growth, in the depths of wintering, in periods of shoreward migrations, etc. This differentiation succeeds, first of all, in separating a school-variety into lake dwellers and river dwellers and in altering the mode and the season of spawning. Thus arise varieties that spawn in lakes, the transitional, or more exactly, semi-transitional varieties, that spawn in rivers, and true river varieties.

Card 4/9

Commercial Fish in Lake Issyk-Kul' (Cont.)

14-57-7-15155

4) Occurrence of inter- and intraspecies hybridization (a cross between the carp and the bream, and between the Issyk-Kul' and the Tyup sucker). Local peculiarities and exceptional polymorphic conditions concentrated in a limited area are the causes of the unusual features in the ichthyofauna of Lake Issyk-Kul'. These conditions are so varied that even now they are far from being fully utilized by the fish which may continue to evolve intensively. The author examines various theories on the geological origin of Lake Issyk-Kul'. He discusses in detail certain questions on the origin of its species, and particularly the matter of the evolutionary significance of inter- and intraspecies hybridization. He supplements his views with concrete examples from the ichthyofauna of the lake. He also describes the biology of the various species of fish which he treats in the order of their decreasing commercial importance. The Issyk-Kul' salmon, Salmo ischchan issykogegarkuni, is an acclimatized fish which was brought here from Lake Sevan in Armenia. The salmon has so altered in its new environment that it was necessary to classify

Card 5/9

14-57-7-15155

Commercial Fish in Lake Issyk-Kul' (Cont.)

it as a new subspecies. Its growth rate greatly increased--more than four times in the case of males, and six and a half times in the case of females. Although this salmon rarely attained a length of 60 cm and a weight of 4 kg in Lake Sevan, specimens 89 cm long and weighing 10 kg have been found in Lake Issyk-Kul'. The average weight of a commercial salmon in Lake Sevan is 460 g, while in Lake Issyk-Kul' it is 2050 g. Apparently the most important factor contributing to the increased growth of the salmon in its new environment is its food. While the basic food of the adult salmon in Lake Sevan is crawfish, the stomachs of Lake Issyk-Kul' salmon have most frequently revealed traces of scavenger fish, and particularly of Nemacheilus barbatulus. During the latter part of December and the month of January the streams on the southern bank of the lake, the Ton, Aksay, Ak-Terek, and Tosor, serve the Issyk-Kul' salmon as spawning-grounds. Its fertility has increased five or six times. The eggs are buried in the ground and take an average of 470 days to mature. The fingerlings live in the rivers until autumn, when they move out into the lake after they have attained a length of

Card 6/9

14-57-7-15155

Commercial Fish in Lake Issyk-Kul' (Cont.)

approximately 90 mm. Large specimens are found over the entire lake. The bream, or "little herring" (Leuciscus bergi), is the most common variety. It is basic to the fishing industry, and accounts for approximately 90 percent of the catch. It ranges from the shore to depths of 120 m to 150 m. The greatest number of bream is found along the northern shore and in the Rybachye, Tyup, and Dzhergalan Bays. This bottom dwelling polypelagic fish follows a migratory pattern within a circumscribed area--in the spring it moves from the deep water to the shore, and in the autumn in the opposite direction. It forms local schools. During the year the bream has two runs of commercial importance; the first in May and June when it spawns, and the second from July to September, when it is feeding. The Issyk-Kul' carp (Leuciscus schmidtii) appears at the present time in insignificant numbers and constitutes only about 5 percent of the catch. But in 1955, according to Lindberg's data, it represented a basic commercial fish, comprising from 25 to 80 percent of the catch. It lives only in the lake and does not enter the rivers. A slow
Card 7/9

14-57-7-15155

Commercial Fish in Lake Issyk-Kul' (Cont.)

growing variety of this species inhabits certain lakes of the flood-plain of the River Tyup. It is found only in the fresher water sections along the shore of Lake Issyk-Kul'. Its spawning beds are located among the cemented slabs up to 2 m deep. Its feeding grounds are somewhat deeper (up to 15 m) among the characeae beds. It passes the winter in depths up to 50 m or 60 m. It does not form large migratory schools. The Issyk-Kul' Schizothorax issykkuli is more widely distributed in the lake than other species, but its numbers are small. It constitutes about 3 percent of the catch. It spawns in depths up to 3 m among the cemented slabs, feeds on the "underwater meadows" of characeae down to 16 m, and winters at still greater depths. The author includes the descriptions of the Issyk-Kul' salmon trout (Diptychus dybowski) of which three varieties are found--the spring and river, the lake, and the transitional variety; of the Issyk-Kul' carp (Cyprinus carpio); and of a number of non-commercial species, such as the groundling (Phoxinus issykkulensis and Ph. poljakowi); the gudgeon (Diptychus maculatus and D. maculatus)

Card 8/9

14-57-7-15155

Commercial Fish in Lake Issyk-Kul' (Cont.)

sewerzowi); the gray groundling (Nemachilus dorsalis; the Strauch sucker (Nemachilus strauchi ulacholicus); and the Tyup sucker (N. strauchi dorsaloïdes). He also discusses the relationships among the different representations of the fauna, lists the fish, and describes the distribution of each species. A bibliography of 31 titles is included.

Card 9/9

S. R.

TURDAKOV, F.A.; LUZHIN, B.P.; BARAMZIN, N.A.

Incubating fish eggs in a continuous and intermittent stream of
running water. Trudy Inst. zool. i paraz. AN Kir. SSR no.6:3-20
'57. (MIRA 11:3)

(Fish culture)

TURDAKOV, F.A.

Effect of sharp fluctuations of temperature in incubating eggs of
Diptychus dybowskii Kessl. Trudy Inst. zool. i paraz. AN Kir. SSR
no.6:21-36 '57. (MIRA 11:3)
(Carp) (Fish culture)
(Temperature--Physiological effect)

TURDAKOV, F.A.

Interaction of fish eggs. Trudy Inst. zool. i paraz. AN Kir.
SSR no.6:37-44 '57. (MIRA 11:3)
(Fish culture) (Issyk-kul', Lake--Carp)

TURDAKOV, F.A.; PISKAREV, K.V.

Materials on the systematics and biology of the Chu River roach.
Veterinariia 34 no.5:93-98 My '57. (MLRA 10:6)
(Chu River--Roach (Fish))

TURDAKOV, F.A.; LUZHIN, B.P.

Systematic position of *Schizothorax issykkuli* typ. Berg and
Schizothorax issykkuli tachuensis ssp. n. of Lake Issyk-Kul'
and the Chu River. Trudy Inst. zool. i paraz. KirFAN SSSR.
no.1:123-129 '54. (MLHA 10:6)
(Issyk-Kul', Lake--Carp) (Chu River--Carp)

TURDAKOV, F.A.; PISKAREV, K.V.

Materials on the systematics and biology of *Capostobrama kuschakewitschi*
orientalis G. Nikolsky and *Alburnoides taeniatus drjagini* Trudakov et
Piskarjov from the Chu River. Veterinaria 34 no.5:65-71 My '57.
(Chu River--Carp) (MLRA 10:6)

TURDAKOV, F.A.; PISKAREV, K.V.

~~The Chu River gudgeon.~~ Veterinariia 34 no.5:83-91 My '57.
(Chu River--Gudgeon (Fish)) (MLBA 10:6)

TURDAKOV, F.A.: PISKAREV, K.V.

Systematic position of *Phoxinus dementjevi* sp.n. and *Phoxinus*
issykkulensis relictus sp.n. from the Chu River. Trudy Inst.
zool. i paraz. KirPAN SSSR no.2:73-77 '54. (MIRA 10:6)
(Chu River--Carp)

TURDAKOV, F.A.

Materials on the fishes of the Ters and Talas Rivers. Trudy Inst.
sool. i paraz. KirFAN SSSR. no.1:113-122 '54. (MLBA 10:6)
(Ters River--Fishes) (Talas River--Fishes)

~~TURDAKOV, P. A.~~

Note on the fishes of the Angren River. Trudy Inst. zool. i paraz.
KirPAN SSSR no.2:67-72 '54. (MLBA 10:6)
(Angren River--Carp)

TURDAKOV, F.A.

Reproductive selection. Uch.zap.Biol.-pochv.fak.Kir.un. no.4:127-155
'54. (MLRA 10:5)

(Genetics)

TURDAKOV, F.A.

~~TURDAKOV, F.A.~~

Fishes of the Chon-Alai Valley. Uch.zap.Biol.-pochv.fak.Kir.un.
no.3:54-59 '52. (MLRA 10:5
(Alai Valley--Fishes)

TURDAKOV, F.A.

Biology of the reproduction of *Diptychus maculatus* Sewerzowi Kessler.
Uch.zap.Biol.-pochv.fak.Kir.un. no.4:117-122 '54. (MLRA 10:5)
(Kirghizistan--Carp)

GONCHAROV, Aleksandr Ivanovich; TURDAKOV, F.A., doktor biol.
nauk, prof., otv. red.

[Development of fisheries in the bodies of water of
Kirghizistan] Rybokhoziaistvennoe osvoenie vodoemov
Kirgizii. Frunze, Izd-vo "Ilim," 1964. 94 p.
(MIRA 18:1)

YANUSHEVICH, A.I.; TURDAKOV, F.A. redaktor; CHOT'YEV, S., tekhnicheskij
redaktor;

[Wild life of Kirghizistan] Zhivotnyi mir Kirgizii. Frunse,
Kirgizskoe gos. izd-vo, 1957. 107 p. (MLRA 10:4)
(Kirghizistan--Zoology)

LYUBISHCHEV, A.A.,; TURDAKOV, F.T., red.; ANOKHINA, M.V., tekhn. red.

[Methods of making population counts and zone surveys of
insects] K metodike kolichestvennogo ucheta i raionirovaniia
nasekomykh. Frunze, Akad. nauk Kirgizskoi SSR, 1958. 166 p.
(MIRA 11:11)

(Insects)

PROROKOVA, V.K., kand. med. nauk; TURDAKOVA, M.A., kand. med. nauk

Course of pregnancy, labor and the puerperium in conditions
of mass immunization with staphylococcal anatoxin. Akush. i
gin. 40 no.1:38-40 Ja-F '64. (MIRA 17:8)

1. 2-ye akusherskoye otdeleniye (zav. - prof. S.G. Khaskin)
Instituta akusherstva i ginekologii (dir. - prof. M.A. Petrov-
Maslakov) AMN SSSR, Leningrad.

TURDAKOVA, M.A., kand.med.nauk

Combined treatment of tuberculosis of the female genitalia.
Akush. i gin. 35 no.3:99-102 My-Je '59. (MIRA 12:8)

1. Iz otdeleniya neoperativnoy ginekologii (zav. - prof.S.G. Khaskin) Instituta akusherstva i ginekologii AMN SSSR (dir. - chlen-korrespondent AMN SSSR prof. P.A.Beloshapko).

(TUBERCULOSIS, FEMALE GENITAL, ther.
combined ther. (Rus))

TURDAKOVA, M.A.

Use of pneumoperitoneum in tuberculous diseases of female genitalia.
Akush. i gin. no.6:72-77 N-D '54. (MLRA 8:2)

1. Iz instituta akusherstva i ginekologii (dir. deystvitel'nyy
chlen AMN SSSR prof. A.P.Nikolayev) Akademii med. nauk SSSR.

(GENITALIA, FEMALE, diseases
tuberc., ther., pneumoperitoneum)

(TUBERCULOSIS

of genitalia, female, ther., pneumoperitoneum)

(PNEUMOPERITONEUM, ARTIFICIAL, ther. use
tuberc. of female genitalia)

TURDALIN, K.B.

Standardization at the Virgin-Territory Economic Council.
Standartizatsia 27 no.10-36-37 0 '63. (MIRA 16:11)

TURDEANU, I.

The women's committee in full action. p. 4

CONSTRUCTORUL, BUCURESTI, Vol 8, No. 323, Mar. 1956

SO: East European Accessions List (EEAL) Library of Congress, Vol 5, No. 7, July, 1956

TURDIYEV, S.Yu.

Walnut in the piedmont of the Ketmen' Range (Kazakh A.S.S.R.).
Rast. res. 1 no.2:269-271 '65. (MIRA 18:11)

1. Alma-Atinskiy botanicheskiy sad AN KazSSR.

TURDIYEV, S.Yu.

Some characteristics of germination and the formation of seed-
lings in water lilies. Trudy Alma-At.bot.sada 5:169-178 '60.
(MIRA 13:6)

(Water lilies)

TURDIYEV, S. Yu.

Cand Biol Sci - (diss) "Biological bases for the cultivation of several varieties of water lilies." Alma-Ata, 1961. 12 pp; (Kazakhstan State Univ imeni S. M. Kirov); 200 copies; price not given; (KL, 5-61 sup, 185)

TURDIYEV, S. Yu.

Flowering of the Victoria in Leningrad. Biul. Glav. bot. sadia
no. 33:114-118 '59. (MIRA 12:10)

1. Botanicheskiy institut im. V. L. Komarova Akademii nauk SSSR.
(Leningrad--Victoria (Botany))

TURDUKULOV, A.T.

Petrography and ~~mineralogy~~ of rocks in the Neogene variegated and red series of the Serafimovskaya anticline (Chu Depression). Izv. AN Kir. SSR. Ser. est. i tekhn. nauk 4 no.3:19-26 '62. (MIRA 15:11)
(Chu Depression--Petrology)

IBRAGIMOV, A.Kh.; TURDUKULOV, A.T.

Tertiary deposits of the Dzhungol Depression. Izv. AN Kir.
SSR. Ser. est. i tekhn. nauk 3 no.4:51-63 '61. (MIRA 14:12)
(Dzhungol Valley -Geology, Stratigraphic)